Brain Research, 498 (1989) 407–409
Elsevier

Author Index

Abumrad, N.N., see Radosevich, P.M., 89
Agnati, L.F., see Benfenati, F., 376
Akaike, N., see Ishizuka, S., 181
Amir, S., Shizgal, P. and Rompré, P.-P., Glutamate injection into the suprachiasmatic nucleus stimulates brown fat thermogenesis in the rat, 140
And, N.-E., see Hurd, Y.L., 199
Andrew, R.D., Fagan, M., Ballyk, B.A. and Rosen, A.S., Seizure susceptibility and the osmotic state, 175
Araujo, D.M., Lapchak, P.A., Collier, B. and Quirion, R., Localization of interleukin-2 immunoreactivity and interleukin-2 receptors in the rat brain: interaction with the cholinergic system, 257
Ashby Jr., C.R., Edwards, E., Harkins, K. and Wang, R.Y., Effects of (±)-DOI on medial prefrontal cortical cells: a microiontophoretic study, 393
Aucouturier, P., see Neveu, P.J., 159

Badia, A., see Sallés, J., 366
Ballyk, B.A., see Andrew, R.D., 175
Barnéoud, P., see Neveu, P.J., 159
Bédard, P.J., see Tremblay, L., 17
Benfenati, F., Pich, E.M., Grimaldi, R., Zoli, M., Fuxe, K., Toffano, G. and Agnati, L.F., Transient forebrain ischemia produces multiple deficits in dopamine D_1 transmission in the lateral neostriatum of the rat, 376
Benowitz, L.I., see Erzurumlu, R.S., 135
Betancur, C., see Neveu, P.J., 159
Björklund, A., see Daszuta, A., 323
Brailowsky, S., see Silva-Barrat, C., 289
Brundin, P., see Daszuta, A., 323
Burde, R.M. and Williams, F., Parasympathetic nuclei, 371
Burnham, W.M., see Nobrega, J.N., 315
Burnstock, G., see James, S., 205

Champagnat, J., see Silva-Barrat, C., 289
Chang, P., see Koh, S., 397
Chen, R.-C., see Yen, C.-T., 118
Claro, E., see Sallés, J., 366
Collier, B., see Araujo, D.M., 257
Collier, T.J., see Koh, S., 397
Colmers, W.F. and Pittman, Q.J., Presynaptic inhibition by neuropeptide Y and baclofen in hippocampus: insensitivity to pertussis toxin treatment, 99

Dalkara, T., Sofoğlu, M. and Onur, R., Glutamate, without GABA antagonists, induces synchronized discharges in intact hippocampus via NMDA receptors, 123
Daszuta, A., Kalén, P., Strecker, R.E., Brundin, P. and Björklund, A., Serotonin neurons grafted to the adult rat hippocampus. II. 5-HT release as studied by intracerebral microdialysis, 323
De Jong, W., see Van Giersbergen, P.L.M., 154
De Koninck, Y. and Henry, J.L., Bombesin, neuromedin B and neuromedin C selectively depress superficial dorsal horn neurones in the cat spinal cord, 105
De Lang, H., see Van Giersbergen, P.L.M., 154
Depaulis, A., Snead III, O.C., Marescaux, C. and Vergnes, M., Suppressive effects of intranigral injection of muscimol in three models of generalized non-convulsive epilepsy induced by chemical agents, 64
DeSouza, E.B., see Han, Z., 299
Dinger, B., see Wang, Z.-Z., 131
Domeniconi, R., see Maioli, M.G., 389
Donald, M.R., see Williams, L.R., 243
Dowe, G.H.C., see Fox, G.Q., 279
Dowling, J.E., see Hidaka, S., 53
Dyck, P.J., see Zochodne, D.W., 221

Edgar, D.M., see Krilowicz, B.L., 73
Edwards, E., see Ashby Jr., C.R., 393
Emson, P.C., see Kobayashi, K., 170
Erzurumlu, R.S., Jhaveri, S., Moya, K.L. and Benowitz, L.I., Peripheral nerve regeneration induces elevated expression of GAP-43 in the brainstem trigeminal complex of adult hamsters, 135

Fagen, M., see Andrew, R.D., 175
Fidone, S.J., see Wang, Z.-Z., 131
Filion, M., see Tremblay, L., 1
Filion, M., see Tremblay, L., 17
Fox, D.A. and Ruan, D.-Y., Time- and frequency-dependent effects of potassium channel blockers on large and medium diameter optic tract axons, 229
Fox, G.Q., Kötting, D. and Dowe, G.H.C., A morphometric analysis of *Torpedo* synaptic vesicles isolated by iso-osmotic sucrose gradient separation, 279
Fu, T.-C., see Yen, C.-T., 118
Fuxe, K., see Benfenati, F., 376

García, A., see Sallés, J., 366
Garcia-Segura, L.M., Olmos, G., Robbins, R.J., Hernandez, P., Meyer, J.H. and Naftolin, F., Estradiol induces rapid remodelling of plasma membranes in developing rat cerebrocortical neurons in culture, 339
George, S.R., see Haas, D.A., 333
Geula, C. and Mesulam, M., Special properties of cholinesterases in the cerebral cortex of Alzheimer's disease, 185
Graybiel, A.M., see Langer, L.F., 344
Grimaldi, R., see Benfenati, F., 376

Haas, D.A. and George, S.R., Neuropeptide Y-induced effects on hypothalamic corticotropin-releasing factor content and release are dependent on noradrenergic/adrenergic neurotransmission, 333
Han, Z., Kuyatt, B.L., Kochman, K.A., DeSouza, E.B. and Roth, G.S., Effect of aging on concentrations of D_2-receptor-containing neurons in the rat striatum, 299
Hanin, I., see Zubenko, G.S., 381
Harkins, K., see Ashby Jr., C.R., 393
Heller, H.C., see Krilowicz, B.L., 73
Henry, J.L., see De Koninck, Y., 105
Hernandez, P., see Garcia-Segura, L.M., 339
Herz, A., see Nikolarakis, K.E., 385

Hidaka, S., Shingai, R., Dowling, J.E. and Naka, K.-i., Junctions form between catfish horizontal cells in culture, 53
Hirano, T., see Ohta, A., 195
Hofmann, M.H. and Meyer, D.L., The nervus terminalis in larval and adult *Xenopus laevis*, 167
Hosokawa, M., see Ohta, A., 195
Hurd, Y.L., Weiss, F., Koob, G.F., And, N.-E. and Ungerstedt, U., Cocaine reinforcement and extracellular dopamine overflow in rat nucleus accumbens: an in vivo microdialysis study, 199
Hurlbut, E., see Olcese, J., 145

Ichikawa, M., Recovery of olfactory behavior following removal of accessory olfactory bulb in adult rat, 45
Ihara, Y., see Ivy, G.O., 360
Ishizuka, S., Sikdar, S.K., Yasui, S., Oyama, Y. and Akaike, N., α-Chloralose opens the chloride channel of frog isolated sensory neurons, 181
Ivy, G.O., Kitani, K. and Ihara, Y., Anomalous accumulation of τ and ubiquitin immunoreactivities in rat brain caused by protease inhibition and by normal aging: a clue to PHF pathogenesis?, 360

James, S. and Burnstock, G., Autoradiographic localization of muscarinic receptors on cultured, peptide-containing neurones from newborn rat superior cervical ganglion, 205
Jhaveri, S., see Erzurumlu, R.S., 135
Jodelis, K.S., see Williams, L.R., 243

Kaijima, M., see Tanaka, T., 215
Kalén, P., see Daszuta, A., 323
Karlsson, B.R., see Perkins, W.J., 34
Kish, S.J., see Nobrega, J.N., 315
Kitani, K., see Ivy, G.O., 360
Knight, R.T., Singh, J. and Woods, D.L., Pre-movement parietal lobe input to human sensorimotor cortex, 190
Kobayashi, K., Emson, P.C. and Mountjoy, C.Q., *Vicia villosa* lectin-positive neurones in human cerebral cortex. Loss in Alzheimer-type dementia, 170
Kochman, K.A., see Han, Z., 299
Koh, S., Chang, P., Collier, T.J. and Loy, R., Loss of NGF receptor immunoreactivity in basal forebrain neurons of aged rats: correlation with spatial memory impairment, 397
Koob, G.F., see Hurd, Y.L., 199
Kötting, D., see Fox, G.Q., 279
Krantic, S., Martel, J.-C., Weissmann, D. and Quirion, R., Radioautographic analysis of somatostatin receptor subtype in the rat hypothalamus, 267
Krilowicz, B.L., Edgar, D.M. and Heller, H.C., Action potential duration increases as body temperature decreases during hibernation, 73
Kumashiro, H., see Mori, N., 163
Kuyatt, B.L., see Han, Z., 299

Lacy, D.B., see Radosevich, P.M., 89
Langer, L.F. and Graybiel, A.M., Distinct nigrostriatal projection systems innervate striosomes and matrix in the primate striatum, 344
Lanier, W.L., see Perkins, W.J., 34
Lanthorn, T.H., see Watson, G.B., 81
Lapchak, P.A., see Araujo, D.M., 257
LeMoal, M., see Neveu, P.J., 159
LeMoal, M., see Rivet, J.-M., 149
Low, P.A., see Zochodne, D.W., 221
Loy, R., see Koh, S., 397

Maioli, M.G., Squatrito, S. and Domeniconi, R., Projections from visual cortical areas of the superior temporal sulcus to the lateral terminal nucleus of the accessory optic system in macaque monkeys, 389
Marescaux, C., see Depaulis, A., 64
Martel, J.-C., see Krantic, S., 267
McGinty, D., see Szymusiak, R., 355
Menini, C., see Silva-Barrat, C., 289
Mesulam, M., see Geula, C., 185
Meyer, D.L., see Hofmann, M.H., 167
Meyer, J.H., see Garcia-Segura, L.M., 339
Michenfelder, J.D., see Perkins, W.J., 34
Milde, J.H., see Perkins, W.J., 34
Mori, N., Wada, J.A. and Kumashiro, H., Bidirectional transfer between kindling induced either by L-glutamate or L-aspartate and electrical stimulation in rats, 163
Mormède, P., see Rivet, J.-M., 149
Mountjoy, C.Q., see Kobayashi, K., 170
Moya, K.L., see Erzurumlu, R.S., 135

Naftolin, F., see Garcia-Segura, L.M., 339
Naka, K.-i., see Hidaka, S., 53
Naquet, R., see Silva-Barrat, C., 289
Nash, J.A., see Radosevich, P.M., 89
Neveu, P.J., Betancur, C., Barnéoud, P., Preud'homme, J.L., Aucouturier, P., LeMoal, M. and Vitiello, S., Functional brain asymmetry and murine systemic lupus erythematosus, 159
Newman, E.A., Potassium conductance block by barium in amphibian Müller cells, 308
Nikolarakis, K.E., Pfeiffer, A., Stalla, G.K. and Herz, A., Facilitation of ACTH secretion by morphine is mediated by activation of CRF releasing neurons and sympathetic neuronal pathways, 385
Nobrega, J.N., Kish, S.J. and Burnham, W.M., Autoradiographic analysis of benzodiazepine binding in entorhinal-kindled rat brains, 315

O'Donovan, C., see Radosevich, P.M., 89
Ohta, A., Hirano, T., Yagi, H., Tanaka, S., Hosokawa, M. and Takeda, T., Behavioral characteristics of the SAM-P/8 strain in Sidman active avoidance task, 195
Olcese, J. and Hurlbut, E., Comparative studies on the retinal dopamine response to altered magnetic fields in rodents, 145
Olmos, G., see Garcia-Segura, L.M., 339
Onur, R., see Dalkara, T., 123
Oyama, Y., see Ishizuka, S., 181

Perkins, W.J., Lanier, W.L., Karlsson, B.R., Milde, J.H. and Michenfelder, J.D., The effect of the excitatory amino acid receptor antagonist dizocilipine maleate (MK-801) on hemispheric cerebral blood flow and metabolism in dogs: modification by prior complete cerebral ischemia, 34
Pfeiffer, A., see Nikolarakis, K.E., 385
Picatoste, F., see Sallés, J., 366
Pich, E.M., see Benfenati, F., 376
Pittman, Q.J., see Colmers, W.F., 99
Preud'homme, J.L., see Neveu, P.J., 159

Quirion, R., see Araujo, D.M., 257
Quirion, R., see Krantic, S., 267

Rader, R.K., see Watson, G.B., 81
Radosevich, P.M., Nash, J.A., Lacy, D.B., O'Donovan, C., Williams, P.E. and Abumrad, N.N., Effects of low- and high-intensity exercise on plasma and cerebrospinal fluid levels of ir-β-endorphin, ACTH, cortisol, norepinephrine and glucose in the conscious dog, 89
Rivet, J.-M., Stinus, L., LeMoal, M. and Mormède, P., Behavioral sensitization to amphetamine is dependent on corticosteroid receptor activation, 149
Robbins, R.J., see Garcia-Segura, L.M., 339
Rompré, P.-P., see Amir, S., 140
Roording, P., see Van Giersbergen, P.L.M., 154
Rosen, A.S., see Andrew, R.D., 175
Roth, G.S., see Han, Z., 299
Rothman, S.M., see Yamada, K.A., 351
Ruan, D.-Y., see Fox, D.A., 229

Sallés, J., Claro, E., García, A., Picatoste, F. and Badia, A., Differential effects of chronic treatment with mianserin and protryptiline on rat brain cortical α_1-adrenoceptors, 366
Shingai, R., see Hidaka, S., 53
Shizgal, P., see Amir, S., 140
Sikdar, S.K., see Ishizuka, S., 181
Silva-Barrat, C., Champagnat, J., Brailowsky, S., Menini, C. and Naquet, R., Relationship between tolerance to $GABA_A$ agonist and bursting properties in neocortical neurons during GABA-withdrawal syndrome, 289
Singh, J., see Knight, R.T., 190
Snead III, O.C., see Depaulis, A., 64
Sofoğlu, M., see Dalkara, T., 123
Squatrito, S., see Maioli, M.G., 389
Stalla, G.K., see Nikolarakis, K.E., 385
Stensaas, L.J., see Wang, Z.-Z., 131
Stinus, L., see Rivet, J.-M., 149
Strecker, R.E., see Daszuta, A., 323
Szymusiak, R. and McGinty, D., Effects of basal forebrain stimulation on the waking discharge of neurons in the midbrain reticular formation of cats, 355

Takeda, T., see Ohta, A., 195
Tanaka, S., see Ohta, A., 195
Tanaka, S., see Tanaka, T., 215
Tanaka, T., Tanaka, S., Kaijima, M. and Yonemasu, Y., Ibotenic acid-induced nigral lesion and limbic seizure in cats, 215
Toffano, G., see Benfenati, F., 376
Tremblay, L. and Filion, M., Responses of pallidal neurons to striatal stimulation in intact waking monkeys, 1
Tremblay, L., Filion, M. and Bédard, P.J., Responses of pallidal neurons to striatal stimulation in monkeys with MPTP-induced parkinsonism, 17

Ungerstedt, U., see Hurd, Y.L., 199

Van Giersbergen, P.L.M., Roording, P., De Lang, H. and De Jong, W., Participation of opiate receptors located in the nucleus tractus solitarii in the hypotension induced by α-methyldopa, 154
Vergnes, M., see Depaulis, A., 64
Vitiello, S., see Neveu, P.J., 159

Wada, J.A., see Mori, N., 163
Wang, R.Y., see Ashby Jr., C.R., 393
Wang, Z.-Z., Stensaas, L.J., Dinger, B. and Fidone, S.J., Immunocytochemical localization of choline acetyltransferase in the carotid body of the cat and rabbit, 131
Watson, G.B., Rader, R.K. and Lanthorn, T.H., Epileptiform activity in vitro can produce long-term synaptic failure and persistent neuronal depolarization, 81
Weiss, F., see Hurd, Y.L., 199
Weissmann, D., see Krantic, S., 267
Williams, F., see Burde, R.M., 371
Williams, L.R., Jodelis, K.S. and Donald, M.R., Axotomy-dependent stimulation of choline acetyltransferase activity by exogenous mouse nerve growth factor in adult rat basal forebrain, 243
Williams, P.E., see Radosevich, P.M., 89
Woods, D.L., see Knight, R.T., 190

Yagi, H., see Ohta, A., 195
Yamada, K.A. and Rothman, S.M., Glutamine currents in hippocampal neurons are attributable to contaminating glutamate, 351
Yasui, S., see Ishizuka, S., 181
Yen, C.-T., Fu, T.-C. and Chen, R.-C., Distribution of thalamic nociceptive neurons activated from the tail of the rat, 118
Yonemasu, Y., see Tanaka, T., 215

Zochodne, D.W., Low, P.A. and Dyck, P.J., Adrenergic sympathectomy ablates unmyelinated fibers in the rat 'preganglionic' cervical sympathetic trunk, 221
Zoli, M., see Benfenati, F., 376
Zubenko, G.S. and Hanin, I., Cholinergic and noradrenergic toxicity of intraventricular aluminum chloride in the rat hippocampus, 381